



Okanagan vinyl Fence  
Solutions

---

# OVFS

# WELCOME

## Core Concept of OVFS Corporate Culture

Vision:Enable100,000FamiliestoAccessOVFS within 10 years

Enterprise Purpose: services, qualities and Innovations

# CONTENTS


WhyChoose Us?	1
Vinyl Privacy Fence	9
Vinyl Horse Fence	21
Vinyl Picket Fence	31
Vinyl Semi-Privacy Fence	45
PVC Temporary Fence	51
Railing & Decking & Siding	57
PVC Garden Product	71
Real Estate Sign Post	79
Horse Running Rail	85
HDPE Dressage Arenas	93
Accessories/Extruder Profiles	99



# WHY CHOOSE US?

## OVFS FACILITIES

Group has two 100% holdings in production. Bases, Zhejiang Production Base, and Anhui Production Base. **OVFS** also holds subsidiaries, including two Injection Plants (30% holding), 1 Blow Mold Plant (30% holding), and 3 hardware plants (40% holding). The two production bases have a total of 30 fully automatic, modern production lines. According to the statistics, we can provide high-quality vinyl fences for 60,000 households every year, for a total of 3,000 km. (2,000 x 40-foot containers). 8000 meters of vinyl fence can be produced every day. It takes only 5 hours to produce one 40-foot container of vinyl fence materials on average, 45 seconds for one set of standard-sized 6ft x 8ft privacy fence. Our customers are in 150+ countries around the world, mainly including the United States, Canada, Australia, and a lot of European and South American countries.








## ALL PRODUCTS OVFS

has a rich variety of products, including many kinds of PVC fencing, PVC sign post, gardening products, vinyl siding, electric fences, PVC decking, vinyl flooring, WPC decking, PVC foam boards, steel fence, and aluminum fences in a total of about 50 products, 500 SKUs numbers. We can provide all our customers with a one-stop service. Besides, we have a professional design team to meet your needs for new product development, school-enterprise cooperation, especially in product design and advanced materials, and continuous innovation. Co-design new products with clients and launch over 10 new products per year. From design, 3D proofing, mold opening, and production, **OVFS** turns good ideas into reality in a short time.



## SERVICE

Free freight check service: We're able to deliver the goods to 2,000 ports around the world.

Free sample service: Full-set product information service: include pictures, videos, brochures, drawings, installation instructions, etc. Help the clients sell the fence easily. These services are free, as long as you are one of our clients.

Help clients purchase more goods from China.



## PACKAGING

We have three different packing methods, divided into ordinary packing, carton packing and pallet packing to meet your different needs. We have our own professional testing equipment, a strict quality control system, and high-quality products and services for you.





# CERTIFICATE

•SGS TEST-We passed the SGS test of high temperature, low temperature, lead free, Anti-UV testandhaveISO45001, ISO14001,ISO9001,andCEcertification .

**OVFS**is a famous domestic high-tech enterprise, one of the most innovative small and micro enterprises, and a work safety standardization tertiary enterprise.

**OVFS** has now passed Made in Zhejiang verification and obtained the "Standard Equestrian Fence Lable" certificate.

# PATENT CERTIFICATE

**OVFS**is the intellectual property manager of PVC flower boxes and PVC fences’ R&D, production, and sale.  
**OVFS**has almost 50 independent utility model patents and design patents.

**OVFS**is the constitutor of the industry standard for Chinese equestrian fences and a member of the Beijing Equestrian Association.

20+  
utility model patents

25+  
design patents

50+  
more than 50



## UNIQUE TECHNOLOGY

ASA co-extrusion wood grain

ASA has strong UV resistance, a stable color, and superior weather resistance. Its production process and technical requirements are currently recognized as representing the highest level in the industry.

**OVFS** has been adhering to the belief of quality first and customer first for many years. Using the polymer material with excellent weather resistance as the co-extrusion layer material and co-extruding it with the PVC main material to form a composite material, the co-extrusion processing technology can make the surface of the profile rich and diverse, and the color is firm and not easy to fade. Strong anti-corrosion ability, waterproof, can be used directly outdoors, and is deeply loved by foreign customers.



## Embossing

Combine the beauty and texture of natural wood with the durability of your favorite vinyl products by adding our embossed profile. Available in white, almond, and gray vinyl products, our embossed profile not only adds a wood-like appearance but also provides a less glossy finish than our standard

vinyl profiles. For an even more natural look, the embossed profile can be combined with our streaked profile for a variegated wood-grained appearance.



## Bending

We have PVC (vinyl) profile bending machine with an automatic heating oven, bending table and specially designed fast clamping tooling. We also provide custom bending forms for internal and external bending. We can bend a 1.5"x1.5" picket, 1.5"x7/8" picket, 3"x3" post, 4"x4" post, 5"x5" post.







PVC  
PRIVACY  
FENCE



# OVFS PRIVACY PANEL STYLE

Our privacy fencing is impervious to moisture, termites, and fungus. Our privacy fence Panel pickets are manufactured with tongue and groove joints to ensure a smooth elegant finish. Identical on both sides, ensuring our fences are pleasing to both of you. and your neighbors. Constructed to withstand high wind loads and work as a sound barrier with its acoustic attributes.

**OVFS** has four styles of privacy fences to choose from. All styles are available for 6 ft. and 8 ft.

finished width (from post center to post center). Regular height is 6 feet. All the profiles are cut to the right length so that you can install the fence by hand and don't need special, heavy tools. Aluminum reinforcement is added to the bottom rail for each style to ensure the fence will not drop and not out of shape for a long time.



Style#: FT-F01  
Flat-Top Privacy Fence  
Panel Kit  
(Available in 6ft and 8ft)




Style#: FT-F02  
Closed-Top Privacy Fence  
Panel Kit  
(Available in 6ft and 8ft)



Style#: FT-F03  
Lattice-Top Privacy Fence  
Panel Kit  
(Available in 6ft and 8ft)



Style#: FT-F04  
Picket-Top Privacy Fence  
Panel Kit  
(Available in 6ft and 8ft)



- A** SlotRail  
1.5"x5.5" Slot Rail and 2"x6" Slot Rail
- B** U-CHANNEL  
U-Chanel for Panel Kit
- C** Panel  
6"x7/8" and 11.3"x7/8" T&G Panels are available.
- D** Post  
5"x5" Post
- E** Aluminum Reinforce  
Aluminum insert for Bottom Rail





## (F01) FLAT-TOP PRIVACY FENCE

**OVFS** has dozensof fence profile to meet different requirements.  
 Top&Bottom Rail-2"x6", 2"x7" and 1.5"x5.5" Slot Rail are most welcomed.  
 Panel - 6"x7/8" and 11.3"x7/8" T&G Panels are available.  
 Ideal for use in:

- Residential Homes
- Housing Developments
- Retirement Villages
- Nursing Homes

### Product parameter

	STYLE#: FT-F01	Single Gate	Double Gate
Height	6ft	6ft	6ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		

## (F02) CLOSED-TOP PRIVACY FENCE

Top Rail - 2"x3.5" Ribbed Rail is mainly used.  
 Picket-1.5"x1.5" Picket is most popular, 1.5"x7/8" and 3"x7/8" Picket are also available.  
 Middle&Bottom Rail-2"x6" and 2"x7" Slot Rail are most welcomed.  
 Panel-6"x7/8" and 11.3"x7/8" T&G Panels are available.  
 Ideal for use in:

- Residential Homes
- Housing Developments
- Retirement Villages
- Nursing Homes

	STYLE#: FT-F02	Single Gate	Double Gate
Height	6ft	6ft	6ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		





## (F03) LATTICE-TOP PRIVACY FENCE

Top Rail - 2"x3.5" Lattice Rail

Lattice - Pre-assembled Lattice for easily installation.

Middle Rail-2"x6" Lattice Rail/Bottom Rail-2"x6"and 2"x7" Slot Rail are available.

Panel - 6"x7/8" and 11.3"x7/8" T&G Panels are available.

Ideal for use in:

- Residential Homes
- Housing Developments
- Retirement Villages
- Nursing Homes

### Product parameter



	STYLE#: FT-F03	Single Gate	Double Gate
Height	6ft	6ft	6ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		

## (F04) PICKET-TOP PRIVACY FENCE

Top Rail - 2"x3.5" Hollow Rail is mainly used.

Picket-1.5"x1.5" Picket is most popular, 1.5"x7/8" and 3"x7/8" Picket are also available.

Middle & Bottom Rail-2"x6" and 2"x7" Slot Rail are most welcomed.

Panel-6"x7/8" and 11.3"x7/8" T&G Panels are available.

Ideal for use in:

- Residential Homes
- Housing Developments
- Retirement Villages
- Nursing Homes



	STYLE#: FT-F04	Single Gate	Double Gate
Height	6ft	6ft	6ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		





## COLLAR PRIVACY FENCE

Collar privacy fence is a special fence installation method that uses the same fence profiles for each style privacy fence.

It is widely used in Saskatchewan, Canada. It is mainly designed for some special terrain.

If your local soil is relatively strong or there are many stones on the surface of the soil, is inconvenient to dig holes, then it will be your best choice.

### 1 APPROPRIATE TYPES

In addition to the above, we also have a collar privacy fence, the difference is that it is suitable for F01-F04 four privacy fences at the same time.



F01

F02

F03

F04

### 2 INSTALLATION DETAILS

1. First hit the steel pipe, then put on the post, and then use Collar to fix the steel pipe and the post with screws.
2. The rail and the rail need to be connected by an inner panel.



EcoPost Collar



Heavy Post Collar



PP-Post Rail Tie



### Product parameter

	STYLE#: F01-F04	Single Gate	Double Gate
Height		6ft/8ft 3ft/4ft 6ft/8ft	6ft 6ft 6ft/8ft
Width	White, Tan, Stone, Black, Walnut, Redwood, Teak, Grey		
Color			





# H-POST PRIVACY FENCE

PatentNo.202020644177.6

5" square H post matched with a 2"x6" rail to adapt to different terrains, meet your different demands and be easy to install. The regular wall thickness is 0.15". Heavy-duty 0.25wall thickness posts are also available.

**OVFS** provides a one-stop solution service. You can find all kinds of related accessories with us The. hinge, latch, and drop rod are made of 304 stainless steel with a powder-coated surface. It will not rust. Self-tap screws are included in the kit.

## H-PostProfile



H- Post



H- Post U groove



H-Post U channel



Installations

# HARDWARE



Hinge  
Sold in Pairs



Drop Rod



Latch



Aluminum Reinforce

QUANTITY		Hinge	Latch	Drop Rod	Aluminum
Walk Gate		1	1	0	2
Driver Gate		2	1	1	2





PVC  
HORSE  
FENCE




# OVFS HORSE FENCESTYLE

OVFS's post and rail fencing systems are entirely customizable and can be altered to suit your individual needs. They come with a standard post of 5"x5" and your choice of either a 2, 3, 4, or cross-rails system. Confirmation may be altered upon request.


It is the perfect solution and the safest possible for all your horse and livestock requirements. Hassle-free installation is possible with the use of notched rails, removing the need for nails and screws. Rails are centered on the posts so that our fencing system is aesthetically beautiful from all angles.



**Style#: FT-H01**  
**2 Rail Horse Fence**  
(Available in 6ft and 8ft)




**Style#: FT-H02**  
**3 Rail Horse Fence**  
(Available in 6ft and 8ft)




**Style#: FT-H03**  
**4 Rail Horse Fence**  
(Available in 6ft and 8ft)



**Style#: FT-H04**  
**Cross Rail Horse Fence**  
(Available in 6ft and 8ft)



**Style#: FT-H02R**  
**PVC Round Pipe Horse Fence**  
(Available in 6ft and 8ft)



## POSTCENTERS

**A**

**PostCap**  
Post Flat Cap 5"x5" (127x127mm)

**B**

**Rail**  
Ribbed Rail 2"x6" and Ribbed Rail 1.5"x5.5"

**C**

**Post**  
Post 5"x5" (127x127mm), 30" under ground



LinePost



CornerPost



3-WayPost



EndPost

5" square post (0.15" standard thickness, 0.2" thick HD post is also available) with different pre-routed holes to meet your different demands and easy for installation. Height can be cut as per your request.  
Dia. 160mm (5mm thickness) round post is also available.





## (H01) 2 RAIL HORSE FENCE

There are 4 sizes of rails, and each rail has 2 different wall thicknesses for choice.

All rails are made of premium virgin PVC material.

Following are details of the rails:

- 1.5"x5.5" Rail - 0.08" & 0.1" Wall Thickness
- 2"x6" Rail - 0.09" & 0.1" Wall Thickness.
- 3"x3" Rail - 0.09" & 0.13" Wall Thickness.
- Dia. 3.35" Rail - 0.12" & 0.14" Wall Thickness.



External Flat Cap



Internal Flat Cap

### Product parameter



STYLE#: FT-H01		Single Gate	Double Gate
Height	3f	3ft	3f
Width	t	4ft	t
Color	8f	White, Tan, Clay, Grey, Black	8f
	t		t

## (H02) 3 RAIL HORSE FENCE

There are 4 sizes of rails, and each rail has 2 different wall thicknesses for choice.

All rails are made of premium virgin PVC material.

Following are details of the rails:

- 1.5"x5.5" Rail - 0.08" & 0.1" Wall Thickness
- 2"x6" Rail - 0.09" & 0.1" Wall Thickness.
- 3"x3" Rail - 0.09" & 0.13" Wall Thickness.
- Dia. 3.35" Rail - 0.12" & 0.14" Wall Thickness.



External Flat Cap



Internal Flat Cap



STYLE#: FT-H02		Single Gate	Double Gate
Height	4.5f	4.5ft	4.5f
Width	t 8ft	4ft	t 8ft
Color	White, Tan, Clay, Grey, Black		





## (H03) 4 RAIL HORSE FENCE

There are 4 sizes of rails, and each rail has 2 different wall thicknesses for choice.

All rails are made of premium virgin PVC material.

Following are details of the rails:

- 1.5"x5.5" Rail - 0.08" & 0.1" Wall Thickness.
- 2"x6" Rail - 0.09" & 0.1" Wall Thickness.
- 3"x3" Rail - 0.09" & 0.13" Wall Thickness.
- Dia. 3.35" Rail - 0.12" & 0.14" Wall Thickness.



External Flat Cap



Internal Flat Cap

### Product parameter



STYLE#: FT-H03				STYLE#: FT-H04			
		Single Gate	Double Gate			Single Gate	Double Gate
Height	5f	5ft	5f	Height	5f	5ft	5f
Width	t	4ft	t	Width	t	4ft	t
Color	8f	White, Tan, Clay, Grey, Black		Color	8f	White, Tan, Clay, Grey, Black	
	t		t		t		t

## (H04) CROSS RAIL HORSE FENCE

There are 4 sizes of rails, and each rail has 2 different wall thicknesses for choice.

All rails are made of premium virgin PVC material.

Following are details of the rails:

- 1.5"x5.5" Rail - 0.08" & 0.1" Wall Thickness.



External Flat Cap



Internal Flat Cap





# (H02R) PVC ROUND PIPE HORSE FENCE

There are four sizes of rail, and each rail has two different thicknesses for choice. All rails are made of high-quality virgin material.

Following are the rail details.

1.5"x5.5" Rail: 0.08" and 0.1" Wall Thickness

2"x6" Rail: 0.09" and 0.1" Wall Thickness

3"x3" Rail: 0.09" and 0.15" Wall Thickness

Dia. 3.35" Rail: 0.12" and 0.14" Wall Thickness

## Product parameter


	STYLE#: FT-H02R	Single Gate	Double Gate
Height	4.5ft	4.5ft	4.5ft
W idth	8ft	4ft	8ft
Color	White, Tan,Black, Grey		

# CHOOSE GATE

**OVFS** offers vinyl gates and aluminum gates. The aluminum gates are powder-coated white and designed to be lightweight and strong. They are made from suitable-grade aluminum plywood with stainless steel hardware. The gate includes the pre-assembled gate itself, a latch, two hinges, and the post needed in which to hang the gate on. All of **OVFS**'s gate posts are reinforced with aluminum inserts, which help to strengthen the gate's structural integrity. The gates are available in 5 to 8 feet wide for single gates and up to 16 feet wide for double gates.



**OVFS** provides a one-stop solution. You can find all kinds of related accessories with us. The hinge, latch, and drop rod are made of 304 stainless steel with a powder-coated surface. It will not rust. Self-tap screws are included in the kit. Don't forget to order aluminum reinforcement for the end post beside the gate. It will enhance the strength of the gate.



QUANTITY	Hinge	Latch	Drop Rod	Aluminum
Walk Gate	1	1	0	2
Driver Gate	2	1	1	2





PVC  
PICKET  
FENCE



# OVFS PICKET FENCE STYLE




Style#: FT-P01  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-3"x7/8"Picket



Style#: FT-P02  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-3"x7/8"Picket



Style#: FT-P07  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-1.5"x7/8"Picket



Style#: FT-P08  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-1.5"x7/8"Picket




Style#: FT-P03  
Rail: "Rail: 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-1.5"x1.5"Picket



Style#: FT-P04  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-1.5"x1.5"Picket



Style#: FT-P09  
Rail: and 2"x3.5" ribbed rail  
and 2"x3.5" hollow rail  
Picket-3"x7/8"Picket



Style#: FT-P09  
Rail: 2"x3.5" ribbed rail and  
2"x3.5" hollow rail  
Picket-3"x7/8"Picket



Style#: FT-P05  
Rail-2"x3.5" Ribbed Rail  
Picket-3"x7/8"Picket



Style#: FT-P06  
Rail-2"x3.5" Ribbed Rail  
Picket-3"x7/8"Picket



Style#: FT-C01  
Rail: 2"x3.5" Top and Bottom  
Rail Picket: 1.5"x1.5



Style#: FT-C02  
Rail: 2"x3.5" Top and Bottom  
Rail Picket: 1.5"x7/8



# OVFS PICKET FENCE STYLE




Style#: FT-C03  
Rail-2"x3.5" Ribbed Rail  
Picket-3"x7/8" Picket



Style#: FT-C04  
Rail-2"x3.5" Ribbed Rail  
Picket-1.5"x7/8", 3"x7/8" Picket




Style#: FT-C05  
Rail-2"x3.5" Ribbed Rail  
Picket-1.5"x7/8", 6"x7/8" Picket




Style#: FT-C06  
Rail-2"x3.5" Ribbed Rail and  
2"x3.5" Hollow Rail  
Picket-1.5"x7/8" Picket



Style#: FT-C07  
Rail-2"x3.5" Ribbed Rail and  
2"x3.5" Hollow Rail  
Picket-3"x7/8" Picket



Style#: FT-C08  
Rail-2"x3.5" Lattice Rail  
Profile-Lattice, U-groove for Lattice



- A** Cap  
England Cap, Gothic Cap, Flat Cap
- B** Hollow Rail  
2"x3.5" Rail
- C** Post  
4"x4" Post (Line, Corner, 3-Way, End)
- D** Picket  
1.5"x7/8", 3"x7/8", 6"x7/8", 1.5"x1.5" Picket are available
- E** Ribbed Rail  
2"x3.5" Ribbed Rail and Bottom Rail
- F** Aluminum Reinforce  
Aluminum reinforce is included in the bottom rail to enhance the strength and keep the fence in the right position for long time.





# (P01) PICKET FENCE

**OVFS**Picket Fence beautify your home and garden, add elegant style to your property with one of four great-looking picket fence profiles. Our range of premium grade picket fences are sure to enhance the appearance and value of your property, whilst being low maintenance means that you can actually sit back and enjoy the results rather than slaving ways with constant upkeep.

Rail- 2"x3.5" Ribbed Rail and 2"x3.5" Hollow Rail.

Picket - 3"x7/8" picket.

## Product parameter


	STYLE#: FT-P01	Single Gate	Double Gate
Height	3ft	3.5ft	4ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		

# (P03) PICKET FENCE

**OVFS**Picket Fence beautify your home and garden, add elegant style to your property with one of four great-looking picket fence profiles. Our range of premium grade picket fences are sure to enhance the appearance and value of your property, whilst being low maintenance means that you can actually sit back and enjoy the results rather than slaving ways with constant upkeep.

Rail- 2"x3.5" Ribbed Rail and 2"x3.5" Hollow Rail.

Picket - 1.5"x1.5" picket.



	STYLE#: FT-P03	Single Gate	Double Gate
Height	3ft	3.5ft	4ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		





# (C01) PICKET FENCE

**OVFS**Picket Fence will beautify your home and garden and add elegant style to your property with one of our great-looking picket fence products. Our range of premium-grade picket fences are sure to enhance the appearance and value of your property, while being low-maintenance means that you can actually sit back and enjoy the results rather than slaving away with constant upkeep.

Pre-routed post for easy installation 4" square posts are the best choice for picket fences; 3" and 5" square posts are also available.

Rail: 2"x3.5" Top and Bottom Picket: 1.5"x1.5" picket.

Product parameter



	STYLE#: FT-C01	Single Gate	Double Gate
Height	3ft	3.5ft	4ft
W idth	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		


# (C03) PICKET FENCE

Pre-routed post for easy installation 4" square posts are the best choice for picket fences; 3" and 5" square posts are also available.

Rail: 2"x3.5" ribbed rail. Picket: 3"x7/8" picket.

	STYLE#: FT-C03	Single Gate	Double Gate
Height	3ft	3.5ft	4ft
Width	6ft/8ft	3ft/4ft	6ft/8ft
Color	White, Tan, Clay, Grey		





Flat Cap    Gothic Cap    England Cap    Picket    Rail




## PICKET FENCE



OVFS providedifferentsizeofrailandpicketprofiles.Theseprofilesconstitute dozens of picket fence styles, such as flat top, curved top, closed top ect.  
 RAIL-Therearehollowrailandribbedrailforchoice.thesizeavailabein2"x6", 2"x3.5", 1.75"x3.5", 1.5"x3"  
 PICKET-1.5"x7/8", 3"x7/8", 6"x7/8", 1.5"x1.5"  
 4"squarepostwithdifferentpre-routedholestomeetyourdifferentdemands and easy for installation. Hight can be cut as per your reuquest.  
 The fence size available in 6ft and 8ft wide and 3ft to 8ft high.



Line Post



Corner Post



3-Way Post



End Post

## GATEHARDWARE



Hinge  
Sold in Pairs



Drop Rod



Latch



Aluminum Reinforce

QUANTITY		Hinge	Latch	Drop Rod	Aluminum
Walk	Gate	1	1	0	2
Driver	Gate	2	1	1	2



# OVFS PICKET FENCE







SEMI-  
PRIVACY  
FENCE



# SEMI-PRIVACY FENCE STYLE



Style#: FT-S04  
Rail: and2"x3.5" hollowrail  
and 2"x3.5 rib rail  
Picket-3"x7/8"Picket



Style#: FT-S05  
Rail: and2"x3.5" hollowrail  
and 2"x3.5 rib rail  
Picket-6"x7/8"Picket



Style#: FT-S06  
Rail: and2"x3.5" hollowrail  
and 2"x3.5 rib rail  
Picket-6"x7/8"Picket




Style#: FT-S16  
Rail: 2"x6" ribrailand 2"x3.5" rib  
rail  
Picket-1.5"x1.5"Picket



Style#: FT-S23  
Rail: 2"x3.5" hollowrail  
Picket-6"x7/8"Picket



Style#: FT-S24  
Picket-6"x7/8"Picket







## SEMI-PRIVACY FENCE



### Aluminum Reinforce

**OVFS** provides different sizes of rail and picket pieces. These products can constitute dozens of semi-private fence styles, such as fencing, trellis and gates, driveway gates, fences, etc.

**RAIL:** There are hollow rails, ribbed rails, and lattice rails to choose from. The sizes available are 2"x3.5" and 2"x6".

**PICKET-**1.5"x7/8", 3"x7/8", 6"x7/8", 1.5"x1.5"



Line Post



Corner Post



3-Way Post



End Post

## GATEHARDWARE



Hinge  
Sold in Pairs



Drop Rod



Latch



Aluminum Reinforce

QUANTITY		Hinge	Latch	Drop Rod	Aluminum
Walk	Gate	1	1	0	2
Driver	Gate	2	1	1	2





PVC  
TEMPORARY  
FENCE





## TEMPORARY FENCE

The product, which is a durable, lightweight, structurally sound fence panel, is an absolute breeze to construct, a one-man task. The final end product is a very stable, versatile, affordable temporary picket fence panel that is great on the eye. It looks great...

### 1 FENCESTYLE

**OVFS** provides different fence styles to choose from. All of our temporary fences are easy to assemble and dismantle, unmatched in durability, very light, and easy to carry and change locations.

This fence has the same strength and durability as any of our products, and due to its tiny profile, it has very little resistance to wind. It can be used in a great variety of events, from music festivals and horse shows to child play areas and shopping center displays.



3

### VINYL POST

The posts, which are sturdy in their own right, have a simple and intelligent hooking system that is very easy to assemble and extremely versatile as they can be used and swung at any angle.

4


### STEEL STAND & BRACKET

The fence stand is a round 300mm steel plate; they are either galvanized or powder coated white, up to the customer's discretion. The brackets are powder-coated white.

5

### FENCE PANEL

The panels are pre-assembled and have a simple and intelligent hooking system that makes it very easy to connect with the posts.







## 5 BASE STABILITY (BY ADDING SAND)

After adding sand, the weight generated is enough to stabilize the track.



## TEMPORARY FENCE Portable fence used in horse arena


The **OVFS** Portable Fence has the same strength and durability as any other of our fences, and due to its tiny profile, it has very little resistance to wind. This is a portable, free-standing fence convenient for temporary use. An elegant, decorative look is incorporated into a strong and durable product at an affordable and competitive price.

### 1 FENCE STYLE

- \* Easy Installation, NO special tools.
- \* NO preset holes to drill, NO special training needed.
- \* Standard construction methods are used.
- \* Self-drilling fasteners used –even hidden fastening systems for a screw free look.

#### FEATURES & BENEFITS:

- Durable hard vinyl material
- \*High strength but low weight.
- eliminates splintering, cracking, rotting, shrinking, or cupping.
- self-extinguishing vinyl composition with superior flame retardant and flame spread performance
- does not contain harmful chemical treatments.
- \* Easy to assemble and dismantle.



### 2 VINYL POST


Post-Oval Rail 2"×4.33(50×110mm)  
The posts, which are sturdy in their own right, are very easy to assemble and extremely versatile as they don't need any screws.

### 3 FENCE BASE

The base of the fence is also made of PVC material; the curved design makes the whole thing more beautiful; and it can also add sand through the plastic cover to increase the stability of the temporary fence.

### 4 FENCE RAIL

Rail-Oval Rail 2"×4.33(50×110mm)  
After the hole is milled, the installation is more convenient without the use of screws.







RAILING  
&DECKING  
&SIDING







## OVFS RAILING

Smart and attractive railing solutions for your house. It combines long-lasting quality and superior construction to create a safe, aesthetically pleasing perimeter for your outdoor space. Hassle-free installation allows our balustrading to be attached to almost any surface. All **OVFS**'s balustrading rails are fitted with an internal aluminum profile, providing extra stability. Customized to meet your requirements, you will never need to worry about the laborious task of painting your balustrade again.

- 3 EASY INSTALL BRACKET SYSTEM**  
 Brackets are available for the level system and the stair system. Stair brackets allow 32-37 degree angles. All of the screws are stainless steel. The screws are completely and cleanly hidden from view by the flush-mounted hole plugs.

- 4 TOP RAIL PROFILE**  
 The top rail is available in a 3.5" T-rail or a 2"x3.5" flat rail (the decorative top is optional). No more painting, no more hassle! 100% virgin PVC material with high levels of

- 1 VINYL POST SLEEVES**  
 Low-maintenance vinyl sleeves and a post skirt are included with the posts.
- 2 HD POST MOUNT**  
 Heavy-duty posts add extremely strong strength and safety to the railing system. It is easy to install on concrete and decking ground.



Post Mount



Bracket



titanium dioxide pigment to ensure UV resistance and impact modifiers for long-term durability and structural integrity!

- 5 BALUSTER OPTIONS**  
**OVFS** provides different balusters for your choice to meet your requirements in different places.  
 Vinyl square baluster  
 Round black aluminum baluster  
 Glass baluster  
 Vinyl decorative baluster



- 6 ALUMINUM REINFORCE**  
 Both the top and bottom rails have aluminum reinforcement to add extra strength and safety.







2

## CHOOSE A LEVEL AND STAIR SECTIONS

(Square balusters are shown.) (See below for all baluster styles.) All kits are available in 36" and 42" heights (with 2" of bottom space). Brackets are included in the kit. Both level and stair sections are available in 6' and 8' widths.

LevelKit

6'  
8'



StairKit

6'  
8'



3

## AVAILABLE COLOR

White




Tan



Clay



Grey




# OVFS RAILING

1

## CHOOSE THE POST & POST ACCESSORIES



Post



PostSkirt



Post Cap



Post Mount  
Sold Separately



3.5"x3.5"  
T-Rail Connector



2.7" Curved  
Rail Connector



2"x3.5"  
Rail Connector



RTTRC-2

4

## BALUSTER STYLES



Square Baluster



Black Round Baluster  
Aluminum



Semicircular Baluster



Glass Baluster



Decorative Baluster



New Baluster





## OVFS RAILING

Smart and attractive railing solutions for your house. It combines long-lasting quality and superior construction to create a safe, aesthetically pleasing perimeter for your outdoor space. Hassle-free installation allows our balustrading to be attached to almost any surface. All **OVFS**'s blustering rails are fitted with an internal aluminum profile, providing extra stability. Customized to meet your requirements, you will never need to worry about the laborious task of painting your balustrade again.

### 2 VINYL POST KIT

low maintenance vinyl post & post skirt and cap is included.

### 3 EASY INSTALL BRACKET SYSTEM

Brackets are available for level system and stairs system. Stair Brackets allow 32-37 degree angles. All of the screws are made of stainless steel. The screws are completely and cleanly hidden from view by the flush mounted hole plugs.

### 1 CONNECTOR

2.7" Curved rail connector fits the top rail.  
2"x3.5" connector fits the bottom rail. Bottom rail has an aluminum insert to add extra strength and safety.



2.7" Curved Rail Connector



Aluminum Stand



### 4 TOP RAIL PROFILE

The top rail is available in 2.7" Curved rail, 1.5"x3" flat rail (decorative top is optional). No More Painting, No more hassle! 100% virgin PVC material with high levels of titanium dioxide pigment to insure UV resistance and impact modifiers for long term durability and structural integrity!

4


### 5 BALUSTER OPTIONS

OVFS provide different baluster for choice to meet your requirements in different place.

- Vinyl square baluster
- Round black aluminum baluster
- Glass baluster
- Vinyl decorative baluster

### 6 ALUMINUM REINFORCE

Both top and bottom rail have the aluminum reinforce to add extra strength and safety.








PVC DECKING SYSTEM PatentNo.201920078704.9

**1** DECKING FEATURE  
The decking is made of 100% vinyl material and doesn’t contain any wood. Since PVC is non-absorbent and contains no wood fillers, it will not mold, mildew, or degrade. The product's low water absorption property makes it ideal for high-humidity, pool, or marine environments. Maintenance is simply reduced to periodic cleaning with mild household soaps. ASA/PVC Co-Extrusion technology makes the decking coated with ASA material, which is the best outdoor plastic for rich colors.



Product benefits	Ovfs
No paint, low maintenance	√
No rot—no fear of pvcdecking rusting or rotting	√
Extremely stable and durable	√
Absorbs virtually no moisture	√
Won't splinter, sag, chalk or crack	√
Anti-fouling and anti-fading	√
Insect and termite proof, fire resistant	√
No wood or organic fibers	√
Double embossing, rough seam texture on both sides	√





## PVC DECKING SYSTEM

- 2** DECKING FEATURE  
**OVF**SPVC Decking is the relative new kid on the block, but it is quickly gaining popularity**OVF**SPVC decking is made from 100 percent plastic, and no wood means no mold or mildew. It holds its color, is easy to clean, and won't stain if You spill a little suntan oil or hamburger grease on it. PVC is much harder and more scratch-resistant than composite decking, which is good news if you have a lot of dogs or heavy patio furniture.

### **3** DECKINGSTYLE



Grove  
Celluar PVC



Solid  
Celluar PVC



T & G  
Rigid PVC



Box  
Rigid PVC

- 5** Installation Detail Display  
 PVC decking is usually nailed or screwed to the joists for attachment. Alternative decking products have a wide range of hidden fastening systems. Always follow the manufacturer's instructions.



### **6** PVC DECKING ACCESSORIES



Clip




Start Clip



Screw

### **4** MULTICOLOR SELECTION



Grey



Red Wood



Tan



Chocolate



Teak



Walnut





1

## SIDING FEATURE

1.Synthetic resin product is suitable to any kind of weather environment, its natural life span can reach more than 30 years. It's 2-3 times of other materials.

2.Acoustic and heat insulation, non flammable. Test show that our product can absorb noise when it is rainy and windy, even hailstorm. Very good acoustic and heat insulation effect. It is testified at B1 level by National Fire Prevention Department for

non-flammable character, and flammable character reach a grade to avoid fire.

3.Excellent Anti-corrosiveness character. The synthetic resin tile is coated with ASA material which cannot be corroded by rains.

4.No deformation, geometry dimensioning doesn't change even the outside temperature changes greatly.



# OVFS VINYL SIDING

2

## VINYLSIDINGSTYLE



A250  
Size:150"×10"



D240  
Size:150"×9"







A203  
Size:150"×8"

3

## MULTICOLOR SELECTION (color can be customized)

We have a variety of colors for you to choose from; you can choose the color according to your preference.







PVC  
GARDEN  
PRODUCTS





## PVC GARDEN ARBOR

PatentNo.201730233220.3

This kind of classic vinyl arbor is durable and elegant. The top rail is hollow. The bottom rail is a rib rail with an aluminum insert. The gothic cap is the first choice for the post; the England cap and the hat cap are also available.

1

### VINYL ARBOR ACCESSORIES

In order to match the vinyl fence and make your event more perfect,



2"x2" Cap



3"x7/8" Flat Picket Cap



1.5"x7/8" Picket Cap



3"x7/8" EndCap



Arch Arbor Connector 1



Arch Arbor Connector 2



Arch Arbor Connector 3



Screw/Screw Cap

2

### OVFS GARDEN ARBOR

PatentNo.2019302467869







## RAISED GARDEN BED

PatentNo.202020647233.1

OVFS's PVC raised garden bed can be freely assembled. Raised garden beds are very popular, and for good reason; they add a landscaped look to your yard, don't require digging or tilling soil, and make gardening easier with warmer soil.

1

### PRODUCT FEATURE

- \*Easy installation.
- Split-level planter bed
- \*Will not crack, peel, or fade.
- \*Free maintenance
- Easy cleaning with the garden hose
- \*PVC is UV-protected.
- \* Can be left outdoors all year round.

2

### PROFILE


PROFILE-3"x3"four-sided slotted d post, ribbed pan 7/8"x11.3", 3"x3 flat cap



3

### EASY TO INSTALL DESIGN

Our garden bed kits are attractive, self-contained, and maintenance-free. That means you don't have to buy and cut wood, hold and screw brackets, stain, paint, and maintain them year after year. Our garden beds assemble in minutes, so you can plant your garden right away. Not only that, they're screwless, so no tools are required, and they can be easily attached to create larger gardens. Additionally, when the yield has finished, you just replant that square.



Groove

(Prevent plates from sliding and jamming)

4

### PVC-RAISED GARDEN BED STYLE

We have different styles; you can use your creativity for DIY combinations, including grid systems. The included grow grid also looks professional and orderly. Gardening via a grid system also gives you a better yield than traditional planting in the same area.







## FLOWER PLANTER BOX

Our planter box is manufactured to give the impression of a traditional wood-look planter without the need for maintenance. We guarantee our products against cracking, warping, yellowing and rotting. This is the advantage of the planter box: it will last a lifetime!

Made with the highest-quality PVC, our planter box is completely maintenance-free. The high-quality PVC contains the highest concentration of titanium dioxide for the strongest UV sunlight protection.



1

### PVC VINYL FLOWER PLANTER BOX STYLE

In order to match the vinyl fence and make your event more perfect, OVFS provides variety of styles of flower boxes as well.



Square Planter Box



Rectangular Planter Box





HOUSE  
FOR  
SALE

CALL OR TEXT ME AT:  
555.555.5555

REAL  
ESTATE SIGN  
POST





## REAL ESTATE SIGN POST PatentNo.201920723768.X

Features of real estate posts:

Premium vinyl will not peel, dent, rot, blister, warp, crack, experience abnormal weather, or be consumed by insects.

Height and arm customization according to your logo size

Simplify installation

Stainless steel anti-rust pendant

Assemble and install with only a hammer; no digging is required.

### 1 CHOOSE A POST CAP




England Cap

GothicCap

FlatCap

### 2 OVFS REAL ESTATE SIGN POST



1 To hang your sign, thread the two eye bolts into the two locations that best center your sign on the arm. Next, thread the s-hooks into the holes on your sign, and then thread them into the eye hooks.

2 Install the stake by driving it into the ground as pictured. Be sure to keep the post level as it is driven in. Next, just slide the post over the stake.

Power Stake:  
PatentNo.2019302473450







- 4** Smart SolarLED Light (SP7236WL)  
Smart Solar LED Post Light for Real Estate  
Signs, Business, and Yard Sign Lighting  
Includes an Adjustable Sign Mounting  
Bracket



- 1** Effectively double the amount of time your sign can be seen.
- 2** Easy installation, weather-resistant, auto on at dusk and off at dawn.



## REAL ESTATE SIGN POST

OVFS has four styles of vinyl real estate sign posts to choose from. All sizes can be customized. RAIL SIZE: The arm has two styles: 2"x3.5"x36" and 2"x3.5"x47". POST SIZE-4"x4"x72"

### **3** REAL ESTATESIGNPOSTSTYLES



SP7236B  
Size:36"x72"

SP7236W  
Size:36"x72"

SP6434W  
Size:34"x64"



SP7247B  
Size:47"x72"

SP7247W  
Size:47"x72"

SP5032W  
Size:40"x50"








HORSE  
RUNNING  
RAIL






**200# Horse Running RAIL (STANDARD)**  
 200# horse running rail, fence height: 1250MM, spacing from Post center to center: 2500 mm. The fence post is made of 63 mm high-strength carbon steel pipe with an integral diameter, sprayed by integral hot dip galvanizing. The fence board adopts a 200 mm wide UPVC extruded profile. The fence board has good flexibility and high strength and can withstand high-intensity impact and rebound recovery. It has high safety and forms a safety precaution for the rider and the horse. It is a standard fence for large-speed races held by clubs at home and abroad in recent years.



## 200#HORSE RUNNING RAIL

PatentNo.201720702336.1




- 1** Post  
 One-piece curved arc steel post, no welding of the elbow, integral hot dip galvanizing, white surface spray, double protection, beauty, high strength, corrosion resistance, and a service life of more than 30 years.
- 2** Fence Board  
 The fence board adopts a modified UPVC outdoor environmental protection formula, has high weather resistance, the material does not fade, does not yellow, does not age, is cold and wear resistant, has high flexibility, is impact resistant, does not break, and is very suitable for riders and horse protection in running races.
- 3** Buckle  
 Movable sleeve and Snap-On connector, compact design, and easy installation
- 4** Embedded parts  
 The embedded parts and the fence are designed separately for easy transportation and installation. The embedded parts are hot dip galvanized parts, which are not easy to rust and have a low maintenance cost.






110# Horse Running Rail (EUROPE)  
 110# horse running rail, fence height: 1250MM, spacing from post center to center: 2500MM, The fence post is made of 63 mm thicker UPVC round pipe with an integral elbow and 110 mm outer diameter UPVC round pipe. The fence is made of plastic material with high flexibility and can withstand a certain strength impact and rebound recovery. Extremely high, there is no blind corner safety protection for the rider and the horse. In addition, PVC is never rusty and free of maintenance at a later stage. It is a common fence in foreign horse racing competitions. Hurdle. The fence is economical and suitable for all kinds of large and medium-sized racetracks and small clubs.




## 110#HORSE RUNNING RAIL

PatentNo.202020656025.8



- 1** Post  
 The post has a diameter of 63 mm, a wall thickness of 5.0 mm, and an integral elbow, which has the characteristics of large elasticity and strong impact absorption capability.
- 2** Fence pipe  
 The fence pipe has a diameter of 110 mm, a wall thickness of 4.0 mm, a UPVC round tube and a round tube design. The shape is thick and beautiful, and the surface is smooth and round, effectively reducing impact damage.
- 3** Connector  
 The connector is a high-strength plastic connection looper that is easy to install.
- 4** Embedded parts  
 The embedded part is designed with a UPVC material honeycomb structure; the average wall thickness is 4 mm, and it is closely matched with the column. The strength is extremely high. In addition, the UPVC material is embedded in the ground. non-corrosive and has a long service life. In the rotating design concept, when the horse hits the fence board, the fence column will rotate on the embedded part to reduce the impact force and effectively protect the safety of the rider and the horse.






**50110#HORSE RUNNING RAIL**  
 50110# horse running rail, fence height: 1250mm, spacing from post center to center: 2500mm The fence post adopts a 50MM x 110MM UPVC elliptical tube to form the elbow, and the fence tube adopts a 50MM x 110MM UPVC elliptical tube. The fence is made of plastic material with high flexibility and can withstand a certain strength impact and rebound recovery. Extremely high, there is no blind corner safety protection for the rider and the horse. In addition, PVC is never rusty and free of maintenance at a later stage. It is a fence commonly used in European horse racing. The fence is light in design, easy to install, and economical. It is suitable for all kinds of small and medium-sized racecourses and small club competition fences.

## 50110#HORSE RUNNING RAIL

PatentNo.202020655983.3



- 1** Post  
The fence post adopts a 50MMx110MM UPVC elliptical tube to form the elbow, which has the characteristics of large elasticity and strong impact absorption capability.
- 2** Oval rail  
The fence tube is a 50mm x 110mm UPVC elliptical tube with an arc design, a beautiful appearance, and a smooth and round surface, effectively reducing impact damage.
- 3** Connector  
A T-type-typeerSnap-On connector with a locking device at the join with the column can be precisely connected with the column without the need for screws and is easy to disassemble, making it suitable for active installation.
- 4** Embedded parts  
The embedded parts are designed for an UPVC honeycomb mechanism with an average wall thickness of 4 mm. They are closely matched with the pillars and have very high strength. In addition, UPVC materials are embedded underground without corrosion and have a long service life. Rotating design concept: when horses hit the fence, fence posts will rotate on the embedded parts, reduce impact, and effectively protect the safety of riders and horses.





HDPE  
DRESSAGE  
ARENAS





# DRESSAGE ARENAS Patent No.201730233218.6

**OVFS**Dressage Arenas are made of high-strength HDPE material. It has good toughness, a long service life, a light weight, convenient handling, and convenient installation. It is easy to disassemble. It adopts a pyramidal cone design and stands stably in use without tilting. Suitable for training and competition, it can provide standard venues of 20m x 60 m and also provide training grounds of 20m x 40 m.

- 1 LINE CONES**  
x 60mStandard 20m X60m venue with 38 line cones, four meters each, providing a mobile design or a fixed buried design



- 2 CORNER CONES**  
The design of the dressage venue is square, and 4 per venue.
- 3 DRESSAGE RAILS**  
**OVFS**Dressage Arenas 50X150MM thicker Rails, no need to insert any lining, not easy to bend.
- 4 LETTER**  
Pyramid design, three-sided letters, good visibility; the rider can see the letters in all directions; the top of the letter has a forward hole to improve the aesthetics of the floor. Flower box-style four-sided letters are also available, and a variety of options are available.



## 5 STANDARD VENUE CONFIGURATION SHEET

ACCESSORY NAME	NUMBER OF ACCESSORIES	
	20m×60m (site)	20m×40m (site)
LINE CONES	38	28
CORNER CONES	4	4
4 METER RAIL	40	30
LETTERS/PLANT BOX	12 M(G),H(G),R(I),S(I),B(X),E(X) P(L),V(L),F(D),K(D),A,C	8 A, K(D), E(X), H(G) C, M(G), B(X), F(D)








The portable dressage arenas are made with white UV-stabilized polyethylene. The 100% UV-treated material is super tough and durable, will withstand abuse, and is suitable for all weather conditions.

## 1 COMPONENTS OF PORTABLE DRESSAGE ARENA:

CONE	QTY/Set	38 Line Cone, 4 Corner Cone (for 20x60m Layout)
	Material	HDPE
	Size	Height: 300mm, Width: 380mm
	Color	White
RAIL	QTY/Set	40 (for 20x60m Layout)
	Material	Virgin PVC
	Size	50x150x4000mm
	Color	White
LETTER	QTY/Set	12 (for 20x60m Layout)
	Material	HDPE
	Size	Height: 600mm, Width: 500mm
	Color	White

## 2 LAYOUT OF PORTABLE DRESSAGE ARENA:





# FENCE ACCESSORIES


5050PC-01 5050PC-02




Flat Cap 5"×5"



Internal Flat Cap 5"×5"



New England Cap 5"×5"



BeveledNewEngland  
Cap 5"×5"




Rail End Cap 1.75"×10"



Rail Connector 1.75"×10"



Rail Flat Cap 2"×3.5"




RailFederation  
Cap 2"×3.5"




Gothic Cap 5"×5"



Federation Cap 5"×5"



Flat Cap 4"×4"



Internal Cap 4"×4"



NarrowRail  
Connector 2"×3.5"



Rail Connector 2"×3.5"



DegreeRail  
Connector 2"×3.5"



T-Rail Connector 3.5"×3.5"




NewEngland  
Cap 4"×4"



BeveledNewEngland  
Cap 4"×4"



Gothic Cap 4"×4"



Pyramidal Cap 4"×4"



DegreeT-Railconnector  
3.5"×3.5"TOP



DegreeT-Railconnector  
3.5"×3.5"BOTTOM



Rail Connector 1.5"×3"



Long Rail Connector 1.5"×3"



Solar Cap 4"×4" and 5"×5"



Flat Cap 4.1"×6.1"



Flat Cap 3"×3"



Flat Cap 3.5"×3.5"



Rail Connector 2.75"×2.25"



Rail Connector 2"×6"



T-Rail Flat Cap 1.5"×3"



Pyramidal Cap 3.5"×3.5"



Rail End Cap 2"×3.5"



Rail End Cap 1.5"×5.5"



Rail End Cap 2"×6"



Rail Gate Pocket 2"×6"



Rail Gate Pocket 1.5"×5.5"



Rail Gate Pocket 2"×3.5"



Rail Gate Pocket 2"×7"



# FENCE ACCESSORIES

2060AC 2035AC


 ArborCap 2"×6"	 Arbor Cap 2"×3.5"	 Hole Cap Dia 0.63"	 Decorative Cap 3"×3"
 Decorative Post Trim 4"×4"	 SperateDecorative Post Trim 4"×4"	 Decorative Post Trim 5"×5"	 SperateDecorative Post Trim 5"×5"
 Pointed Picket Cap 7/8"×3"	 Flat Picket Cap 2"×3.5"	 Flat Picket Cap 7/8"×3"	 End Cap 7/8"×3"
 Picket Cap 1.5"×1.5"	 PicketGothicCap 1.5"×1.5"	 Flat Cap 1.5"×1.5"	 Picket Cap 7/8"×1.5"
 Picket Cap 7/8"×1.5"	 Picket Cap 1.3"×1.3"	 Clip	 Post Infill Plate 3"×3"

 Post Infill Plate 4"×4"	 Post Infill Plate 5"×5"	 PP-Post Infill Plate 5"×5"	 Heavy Post Collar 5"×5"
 EcoPost Collar 5"×5"	 4"Post to 5"Post	 2"Rail Connector	
 3030PC-03	 50110-FC	 75Kit B	 Sign-C86
 Sign-C55	 1555KG	 C4	





# ALUMINUM PARTS/BASE



2060AL 1555AL 17555AL




Aluminum stiffener for the rib rail (2" x 3.5" and slot Aluminum stiffener for rail Rail" x 6 Slot Rail 1.5"x5.5"




Aluminum stiffener for ribA luminumstiffenerfor rail, 1.75 x 5.5" Flat Slot Rail 2"x6"




Baseplate for Alu Mounting




Aluminum mounting for Line Post 5"x5"




Aluminum mounting for Corner Post 5"x5"




Baseplate for Alu Mounting




Aluminum stiffener for Rail 2"x6"




Aluminum stiffener for Hollow Rail 2"x3.5" and T-Rail




Aluminum stiffener for Picket 4"x4"




Aluminum stiffener for Gate Post




Aluminum stiffener for Rail 1.5"x3.5"




Aluminum Pipe 2"x3.5"




Aluminum Pipe 1.5"x5.5"




Aluminum for Gate post 2"x3.5"




Aluminum stiffener for Post 5"x5"




Aluminum stiffener for Post 5"x5"




Aluminum stiffener for Rib Rail 2"x3.5" and Slot Rail 2"x6"




Aluminum stiffener for Picket 7/8"x3"




Aluminum for Gate Rail 1.5"x5.5"




Aluminum for Picket 7/8"x6"




Aluminum for Gate Rail 1.5"x5.5"




Aluminum for Gate post 2"x3.5"




Aluminum stiffener for Post 3"x3"



Aluminum stiffener for Post 5"x5"x0.2" Thick



Aluminum mounting for Line Post 4"x4"




Aluminum mounting for Corner Post 4"x4"




# EXTRUDED PROFILES

Unit: in


3030P 3"×3"Post




3535P 3.5"×3.5"Post




4040P12 4"×4"Post




4040P15 4"×4"Post




4040P20 4"×4"Post




5050P135 5"×5"Post




5050P15 5"×5"Post



5050P20 5"×5"Post



5050-H 5"×5"H-Post



PatentNo.202020644177.6


HP-U Cover for 5"H Post




6060P 6"×6"Post



1530HR 1.5"×3"Hollow RAIL




17535HR 1.75"×3-1/2"Hollow Rail




2035HR 2"×3-1/2"Hollow Rail




2035RR 2"×3-1/2"Rib Rail




50110R 110×50mm Oval Rail




FPR Flower Rail 1.7"×3.2"




2060RR 2"×6"Rib Rail




2060RR25 2"×6"Rib Rail




1555RR 1.5"×5.5"Rib Rail




1555RR25 1.5"×5.5"Rib Rail




3535T R 3.5"×3.5"T-Rail




RTT 2.7"×2.25"Breadloaf



DECO2 3.15"×1.15"Decor Top




1555SR




1-1/2"×5-1/2"Slot Rail

17555SR




1-3/4"×5-1/2"Slot Rail


2070SR 2"×7"Slot Rail




2060SR 2"×6"Slot Rail




2060SR3 2"×6"Slot Rail



2060SR2 2"×6"Slot Rail




2060DSR




2"×6"Double Slot Rail

2035LR 2"×5"Lattice Rail




38114Double Opening




Panel Rail1-1/2"×4.5"

6078TG45




7/8"×6"T&G Panel

6078T G




7/8"×6"T&G Panel

11387TG3




7/8"×1.3"T&G (3 Gap)

11387TG2



7/8"×1.3"T&G (2 Gap)

11387TG1




7/8"×1.3"T&G (1 Gap)

11387P



7/8"×11.3"Panel

300P















12×300mmPanel



# EXTRUDED PROFILES

Unit: in

<b>TGU</b> PanelU-Groove 	<b>LPU</b> Lattice U-Groove 	<b>1313P</b> 1.3"x1.3"Picket 	<b>1515P</b> 1.5"x1.5"Picket 
<b>3078P</b> 7/8"x3"Picket 	<b>1578P</b> 7/8"x1.5"Picket 	<b>6078P</b> 7/8"x6"Picket 	<b>8078P</b> 7/8"x8"Picket 
<b>R42x254</b> 42x254Rail 	<b>LR</b> 1.5"x0.25"LatticeProfile 	<b>DIAT02</b> Dia.102mm Pipe 	<b>DIAT10</b> Dia.110mm Pipe 

# FENCE HARDWARE

 <b>024 Hinge</b>	 <b>022 Hinge(self-closing)</b>
---	--

 <b>024-UHinge</b>	 <b>7575 Hinge</b>	
 <b>3535 Latch</b>	 <b>028 Latch</b>	
 <b>D610 Drop Rod</b>	 <b>D9090 Drop Rod</b>	
 <b>D5050 Drop Rod</b>	 <b>SM01 Hinge</b>	 <b>18"Nother</b>



# Welcome to visitus online!

For more information, new products, or ideas, please visit our online website.



OVFS



FaceBook



YouTube



Email: oknaganvinyl@gmail.com | Tel: +1-250-306-2011

FENTECH